

## 45 cm Built-in Panel Ready Dishwasher

### Heritage Series



#### DW45S3IEPDC

This Bertazzoni 45 cm built-in dishwasher is compact yet highly functional, offering a capacity of 10 place settings on across three racks, including a height-adjustable upper rack and a multi-functional rack.

The motor is equipped with a turbidity sensor that automatically adjusts the wash cycle duration based on the level of soil on the dishes, ensuring efficient and tailored performance.

The durable stainless steel tub is resistant to corrosion and improves heat retention for better washing and drying efficiency.

Featuring a Floor Projection Status Light, it provides real-time updates on the wash cycle status by projecting a light signal onto the floor. The four fixing points, two on each side, ensure a stable and precise installation.

E energy rated.

[Guarda online](#)

# Specifications

## Features

### General features


|                                 |                                                                                  |
|---------------------------------|----------------------------------------------------------------------------------|
| Size                            | 45 cm                                                                            |
| Place setting                   | 10 place settings                                                                |
| Sound level maximum speed (dbA) | 45 dbA                                                                           |
| User interface                  | LED display                                                                      |
| Spray arms                      | 3                                                                                |
| Number of racks                 | 3                                                                                |
| Wash cycles                     | 6 (delicate 40°, eco, machine clean, quick 14min, quick 50min 65°, smart 50-70°) |
| Functions                       | 5 (extra dry, delay start, extra hygiene, extra rinse, half load 3 modes)        |
| Certification                   | CB, CE                                                                           |

### Technical specifications


|                       |               |
|-----------------------|---------------|
| Absorbed current (A)  | 10A           |
| Energy class          | E             |
| Voltage and frequency | 220-240V/50Hz |
| Absorbed power (W)    | 1900 W        |

# Dimensions

FRONT VIEW



TOP VIEW



Water inlet hose is provided with the unit.